



Small-Scale Fishing Community of Haor Areas: What Matters to Them

**Rahatul Zannat Tanha^{a*}, Sabya Sachi Chanda Antor^{a,b}
and Swarna Saha^c**

^a Faculty of Agricultural Economics and Business Studies, Sylhet Agricultural University, Sylhet, Bangladesh.

^b International Finance Investment and Commerce Bank Limited, Dhaka, Bangladesh.

^c Faculty of Fisheries, Sylhet Agricultural University, Sylhet, Bangladesh.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJFAR/2023/v22i2566

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/97745>

Review Article

Received: 24/01/2023

Accepted: 27/03/2023

Published: 25/04/2023

ABSTRACT

Small-scale fishing communities in *haor* areas are among the most vulnerable to climate change and poverty. The aim of this study is to investigate the context of small-scale fishing communities in Sunamganj and nearby regions in terms of climate change and poverty. *Haor* regions are critical to the Bangladeshi economy, and many of people rely on them for a living. Small-scale fishing communities in Sunamganj are regarded the most vulnerable among the populations who live in *haor* regions because they are socially disadvantaged, undereducated, lack market access, have the identity of a working-class community, and have no notion how to change their fortunes. Due of climate change, the environment in many locations is changing, and as a result, the supply of fish is diminishing year after year. Additionally, the regular flash floods in these locations leave the fishing population vulnerable owing to restricted access to basic supplies. These factors contribute to the impoverishment of the small-scale fishing community and its decline into the vicious cycle of poverty. Also, they have limited access to tools and other sources of money that may aid them in

*Corresponding author: Email: rahatulzannattanha@gmail.com;

escaping poverty. Hence, even if they tried, they couldn't escape their predicament of poverty. As following objectives, we offered a number of government initiatives, additional revenue streams, and local infrastructure restoration.

Keywords: Climate change; poverty; wetland; fishing community; Bangladesh.

1. INTRODUCTION

Bangladesh is one of the world's fastest growing nations, rich in natural resources, and known as the "Queen of Natural Beauty." It is mostly rich fertile flat soil, with the bulk of it being less than 12 meters (39 feet) above sea level [1]. Bangladesh is a riverine nation with a long history of interaction with rivers and wetlands with fertile land rich in pollen due to its geographical environment and position with respect to sea level. Besides other different geographical locations, wetlands (*haor*) are equally and sometimes more important in Bangladesh because they provide a stable breeding ground for fish, provide a diverse environment, help to purify contaminated water, and provide employment opportunities for millions of people [2,3,4]. It also settles pollen at the bottom, which appears mostly during dry season, providing a lot of fertile lands that are incredibly productive for growing crops in these regions.

Haor is a "U" shaped low land that occupies a large area which is created by being isolated from the estuary [5]. It receives river water flows, which is why it is full during the monsoon season but dry throughout winter season. This wetland is mostly located in northern Bangladesh, including the districts of Sunamganj, Habiganj, Moulvibazar, Kishoreganj, and Netrokona [6]. Among many natural specialties *haor* is a one-of-a-kind item from Bangladesh that is a valuable source of aquatic animals all over the world [7,8].

Sunamganj is the poorest of the six *haor* districts, with a high rate of poverty, regular climatic shocks, and insufficient transportation. This district is located at the foot of the Indian state of Meghalaya, posing a major threat to climate change-related disasters such as flash flooding and sudden floods [9]. Flash floods hit the residents of the Sunamganj *haor* basin almost every year, destroying nearly every acre of agricultural produce. Apart from that, wealth depletion, such as the destruction of houses, the death of livestock and poultry, and so on, leaves families financially vulnerable. And, again here, their misery has left them in a worse position [10,11]. Among the wetland communities, small

scale fishing communities hold significance contribution in resource extraction in Sunamganj by addressing the need for fish supply in this country [12]. They largely dependents on fishing over the years and do not engage in alternate income generating activities. This mostly makes them vulnerable due to the extent of poverty and sudden shocks of climatic events. And it is assumed that small scale fishing communities are the poorest and mostly vulnerable to climatic events among all others [13].

Due to their economic significance and ability to supply the need for fish protein, Sunamganj's small-scale fishing villages do not receive the attention they merit. The country has undertaken several measures to improve the living standard of the Sunamganj *haor* people, but they are insufficient to eradicate poverty and reduce the danger of climate change because the full picture of poverty and the impact of climatic shocks in this region is hidden from view [14]. Especially the small scale fishing communities were mostly ignored in this context which need to address as soon as possible. That is why, in order to provide an insight to policymakers, this study aims to look at poverty and climatic consequences in Sunamganj.

2. HAOR ECOSYSTEM IN BANGLADESH

Bangladesh is surrounded by a diverse range of wetlands, including rivers, *haors*, estuaries, and mangrove swamps, as well as *beels*, streams, ponds, and floodplains [7,8]. And each individual belongs to a distinct group of people with distinct patterns of ecology and livelihood. The largest wetland in Bangladesh is "Hakaluki *Haor*," also known as one of Asia's marsh (a low-lying region that is flooded during wet seasons or at high tide and normally stays waterlogged at all times) wetland, located in the country's northeast. In Bangladesh, there are roughly 400 small and big *haors* occupying an area of around 80,000 square kilometers (IUCN, 2007).

Haor has a wonderful ecosystem. In comparison to other wetlands, the *haor* area's flora and fauna have even more fascinating lifestyles. Because of the continual submersion, "anaerobic bacteria" provides an environment that allows

"hydrophytes" to expand underwater without oxygen, and can provide food and shelter for both fish and birds, and can also be used as fertilizer after the water evaporates in the post-monsoon season. Besides *haor* is home to over a hundred species of birds, migratory birds, and wildlife animals. Large swamps are raised during the winter season due to water drying up, where various types of grasses and bushes can be found, providing habitat and a stable breeding ground for birds [15]. Plants that have been uniquely modified to withstand all of *Haor's* shifts, such as *Hijal* and *Korocho*, also give protection to birds during the year and provide the greatest importance to people and the climate [16].

Freshwater wetlands, also known as *haors*, are vital to the economy of the region. Thousands of people rely on these wetlands for their subsistence. Fishing and farming are, for the most part, the default occupations in wetland regions [17]. Depending on the season, they sometimes change jobs. Though wetlands can provide fertile ground for farming in the summer, they are perfect for fishing at any time of year. *Haor* protects the mother fish breeding grounds, resulting in a large amount of fish harvest [12].

Through bringing the terrestrial and aquatic domains together, the *haor* ecosystem has played an important part in the natural cycle. It also contains a substantial number of provincial and national species. In Bangladesh, a large number of flower and vibrate species are fully reliant on wetlands to survive [18]. Inland, migratory, and threatened fish species both benefit from the presence of ecosystems. As a result, estimating the economic impact of wetlands or *haor* areas on Bangladesh is unavoidable [19].

Bangladesh does have an inland water area allotted to it, and the relatively shallow scheme produced the littoral, which is ideal for small-scale fishing [20]. In *haor*, there is also a large population that relies solely on small-scale fishing. However, neighborhood values have still been overlooked and undervalued for small scale fishing communities. Many surveys have attempted to report on or examine the climate, habitats, and diversity of fish species, but small scale fishing communities has received far less recognition than it deserves.

3. SMALL SCALE FISHING COMMUNITY IN SUNAMGANJ

Haor is the mother of fishery and is made up of water. As a result, the locals' way of life is

dependent on water resources. It's a plentiful resource with a variety of delectable fish species that are in high demand both domestically and globally [21]. As a result, a notable portion of the population in these areas relies on fishing as a source of income directly or indirectly, while some engage in other non-fishing activities. Even though non-fishing people switch to fishing during the rainy season, fishing is still a mandatory occupation here [22].

The common name for numerous fishing communities in *haor* areas varies. "*Jaldash*" refers to Hindu fishing families, while "*Maimal*" refers to Muslims in Sunamganj [23]. Professional fishermen, seasonal fishermen, and pabulum fishermen are the three categories of fishermen categorized on the basis of catching fishing as an occupation by small scale fishers in *haor*. Pabulum fishermen only fish when they are paid to do so; otherwise, they fish wherever they want. Professional fishermen fish throughout the year, while seasonal fishermen start fishing during the Bangla season Ashar (rainy season: June to October) [24,25]. While there are various types of fishermen in the *haor* areas in terms of occupation, place, and name, almost all of them are small-scale fishermen. The following is how they describe themselves as a small-scale fishing community:

Small-scale fisheries imply a comparatively low investment, conventional fishing gear and boats, restricted access to well-developed fish markets and fish capture for livelihood.

Small-scale fishermen usually fish in the *beel*, which is the lowest section of the *haor* and remains wet even throughout the dry season. They settle there as a group and live as a family for the duration of their stay. They split themselves into two classes of two vessels while fishing. However, the kinds of nets and fishing methods used are determined by the depth of the water and the species of fish. To capture fish, they usually use the *Berjal*, *Dori*, *Chai*, *Koach*, *Borshi*, *Dharmajal*, *Thehajal*, and *Jhankijal* [26].

Fishermen put in a lot of effort over the years to capture fish and provide for their families. However, no significant changes in their way of life have been noted over time among the small scale fishing communities in this area. They are socially disadvantaged, undereducated, lack market access, have the identity of a working-class society, and have no idea how to improve their fortunes [27]. As a result, they have

accepted their plight and believe that this is the end of their story. Women and children are assumed to be the most vulnerable members of the small-scale fishing family. Women sacrifice all the majority of the time due to inadequate financial realities, limited access to affordable health care services, and poor education facilities. And when they are pregnant, they are lacking access to basic and emergency health care due to poor road infrastructure in this area. During the rainy season, when the only mode of transportation is by boat, the condition got even worse. Children in small-scale fishing communities, in addition to women, are seriously malnourished and have poor access to their basic needs compared to other areas. Schools and colleges are located miles away from certain communities in rural areas [28]. As a result, children find it difficult to attend school. When they are bound by the water, however, they can not attend school for up to a month. Furthermore, due to the weak economic conditions of small-scale fishing, children are forced to support their families by participating in income-generating activities, even sometimes willingly [29].

4. CLIMATE CHANGE IMPACT ON SMALL SCALE FISHING COMMUNITIES

Climate change is now one of the most hotly debated issues globally. It has such a negative impact on human lives that policymakers and climate experts have been working tirelessly to transform the negative aspects of climate change into positive aspects [30]. As a result, climate change is a top priority for every nation on the planet. However, nature has its own set of laws, which is why people find themselves in so many dire circumstances as a result of climate change. The majority of people in the *haors* area like Sunamganj suffer greatly because their survival is dependent on the habitats and climate of these regions [31].

In a single year, people in the Sunamganj *haor* area mainly face two major climatic events: flood and drought. Extreme rainfall in this *haor* area from April to June triggers floods and destroys whole crop fields [32,33]. Drought, on the other hand, occurs during the winter and pre-monsoon months of December to May, resulting in a reduction in the river water supply [34]. *Haor* habitats and biodiversity have changed as a result of these processes, which affects small scale fishing communities in Sunamganj because their livelihood is dependent on it. People in that

haor area struggle to catch enough fish during fishing season because inadequate biodiversity has produced poor living places for fish to flourish [35]. Besides the Sunamganj *haor* area, similar cases are also found and small-scale fishermen in the Halda River area have been unable to capture fish due to the disappearance or change of spawning grounds [36]. As a result, fishermen's limited chances to capture fish on a wide scale are lost, and their income generation process suffers. Climate disasters like floods also occur here and it has a catastrophic effect on crops, land, animals, income, occupations, food and water resources, sanitation, and the welfare of households in all industries [37]. One of the flash floods hit Bangladesh's northeast wetland area at the start of 2017, affecting nearly 1 million households and damaging rice crops worth US\$450 million like every other year [38]. During a flash flood in the area, most people suffer for not having freshwater supply and wrecked homes. Flood reliefs take too much time to reach the spot because communication facilities and roads become very poor during floods in that area [39]. In that case, most of the fishing communities become helpless during the flood and also in drought seasons. So it is clear that the Sunamganj *haor* fishing sector's vulnerability is deeply linked to climate change. For this kind of climate change, the small-scale fisherman has tried to alter their fishing profession. But in most of the cases their livelihood status has not improved yet. So, the majority of the small scale fishing communities remain poor, and they have been forced to live in poverty due to frequent floods and other natural disasters [40]. This type of circumstance creates a vicious circle of poverty among them. But people in the *haor* culture are still overcoming disasters by using a variety of new tactics, though they are insufficient. It is common knowledge that we cannot always manage nature on our own, however we can minimize losses. We have little to do in *haor* areas for the poor fishing community except enforce effective policies to mitigate climate risk [41].

5. WIDESPREAD POVERTY AMONG SMALL SCALE FISHERS

For the last three decades, Bangladesh has made enormous strides in all aspects of poverty alleviation. Bangladesh has battled poverty hard and effectively since the 1990s, reducing poverty from 59 percent in 1991 to 25 percent in 2016, according to Bangladesh Bureau of Statistics data. During the same time frame, severe

poverty plummeted from 43 percent to 13 percent, a significant achievement [42]. However, the question emerges when we inquire if Bangladesh alleviates poverty fairly in all regions.

In Bangladesh, the total area of wetland is about 7-8 million ha, which is about 50% of the total land area [43,44]. And, *haor* areas of Sunamganj is one of the underdeveloped area as mentioned earlier, with a population of about 2.4 million, and one of the districts with the highest poverty rate [45]. Poverty is declining in these regions, but not significantly so as compared to the rest of Bangladesh. The key causes for their poverty are most likely their geographical area, high susceptibility to sudden and flash flooding, low schooling levels, inadequate housing, and limited access to alternative income-generating activities [46]. As Sunamganj district is highly vulnerable to natural disasters and it has a significant impact on their livelihood and, food and nutrition survival. Small-scale fishing communities secure their livelihoods from *Haor* by capturing, selling, drying fish, preserving aquatic life, and weaving nets and all of these are mostly seasonal in nature [47]. Income of most small scale fishing families are below the poverty line and they are one of Bangladesh's most marginalized and poorest groups. Small-scale fishermen's livelihoods are still in risk because they do not have unrestricted access to water bodies for fishing throughout the year due to the influence of political and local leaders [48].

Poverty and *Haor* are inextricably linked. The *haor* community strives tirelessly to lift itself out of poverty [49]. They couldn't, though. It has been noted that the extreme poverty status in Sunamganj is caused by a number of major causes, with the *haor* population being the worst. Among them, there is less access to education for people in the Sunamganj *haor* areas. The majority of schools and colleges are located a long distance away from the fishing community, and children show less interest to attend school [9]. As a result the future generation as well taking theirs existing occupation and again they are facing the same situation over the years. Furthermore, transportation options are few. The entire *haor* area is immersed in water during the rainy season, and the only way to navigate is by boat. This causes late supply of fish and agricultural products causing comparatively lower price [50].

With little access to formal credit sources as well, the small-scale fishing community is finding it

difficult to acquire fundamental inputs for their profession [47]. Again, this represents a barrier to evaluate revenue generating activities. They not only have very few alternative sources of income, especially formal sources of income. Moreover, the hairdressers have little access and are not prepared to accept modern technologies. And poverty is still behind them all.

6. CONCLUSION AND POLICY RECOMMENDATION

The *haor* regions of Bangladesh interrelate small-scale fishing populations, climate shock and hunger. The fishing community is working closely together year after year to ensure safe livelihoods. But climate shocks are destroying their optimism and once again making them poor. While fishing communities make a significant contribution to the hoar economy, they are underestimated. In the past year, the Government has put in place strategic measures to boost the overall state of the hoar economic and infrastructural [51]. However, no special effort has been made for this group. In light of this, the following suggestions are made:

1. The government should provide strategic and financial assistance to the most endangered fishing population in order to combat climatic shock.
2. Alternate income-generating activities must be designed to provide financial stability during challenging time.
3. Appropriate steps should be taken to develop local infrastructure, including roads and transportation systems, to ensure improved access to emergency services [52,53].

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Kamruzzaman M, Hwang S, Cho J, Jang MW, Jeong H. Evaluating the spatiotemporal characteristics of agricultural drought in Bangladesh using effective drought index. *Water*. 2019; 11(12):2437. DOI: 10.3390/w11122437
2. Karim A. Plant diversity and their conservation in freshwater wetlands. In:

- Nishat A, Hussain Z, Roy MK, Karim A, editors. Freshwater wetlands in Bangladesh - Issues and Approaches for Management. Gland, Switzerland: International Union for Conservation of Nature and Natural Resources. 1993;75-104.
3. Bagchi R, Miah MA, Hazra P, Hasan R, Mondal HS, Paul SK. Exploring the effect of rainfall variability and water extent in Tanguar Haor, Sunamganj. Aust J Eng Innov Technol. 2020;2(4):66-76.
 4. Rath RK. Freshwater aquaculture. 3rd ed. Scientific Publishing; 2018.
 5. Alam MJ. Income and expenditure distribution pattern of Sunamganj haor area: implications for poverty alleviation; 2004.
 6. BHWDB (Bangladesh Haor and Wetland Development Board). Dhaka: Ministry of Water Resources, Government of the People's Republic of Bangladesh. 2011;5.
 7. Hossain MAR. An overview of fisheries sector of Bangladesh. Res Agric Livest Fish. 2014;1(1):109-26.
DOI: 10.3329/ralf.v1i1.22375
 8. Hossain MA, Wahab MA, Shah MS, Barman BK, Hoq ME. Habitat and fish diversity: Bangladesh perspective. Adv Fish Res Bangladesh. 2014;l:1-26.
 9. Mia M. Equal Access to primary education in environmentally challenged area of Bangladesh: A study into the Tanguar haor of Sunamganj District. Soc Sci Rev. 2021;38(1):175-202.
DOI: 10.3329/ssr.v38i1.56530
 10. Sumiya NN, Ali AAB, Kabir H. Flash floods in the Northern Bangladesh: looking back-moving forward. In: Khatun H, Baqee A, Kabir H, editors. People at risk, disaster and despair. Disaster Research Training and Management Centre, University of Dhaka. 2019;211-30.
 11. Rahman SU. Impacts of flood on the lives and livelihoods of people in Bangladesh: A case study of a village in Manikganj District [masters thesis]. Dhaka, Bangladesh: BRAC University; 2014.
 12. Sultana MA, Pandit D, Barman SK, Tikadar KK, Tasnim N, Fagun IA et al. A review of fish diversity, decline drivers, and management of the Tanguar Haor ecosystem: A globally recognized Ramsar site in Bangladesh. Heliyon. 2022; 8(11):e11875.
DOI: 10.1016/j.heliyon.2022.e11875, PMID 36468112.
 13. Islam MM. Living on the margin: the poverty-vulnerability nexus in the small-scale fisheries of Bangladesh. Pover Mosaics Real Prospects Small-Scale Fish. 2011;71-95.
 14. Tikadar KK, Islam MJ, Saha SM, Alam MM, Barman SK, Rahman MA. Livelihood status of small-scale fishermen and determinants of their income: insights from north-eastern floodplains of Bangladesh. Geogr Sustain. 2022;3(3):204-13.
DOI: 10.1016/j.geosus.2022.06.002
 15. Sufian MA, Kunda M, Islam MJ, Haque ATU, Pandit D. Socioeconomic conditions of fishermen of Dekar Haor in Sunamganj. J Sylhet Agrol Univ. 2017;4(1):99-107.
 16. Thompson P, Chowdhury SN. Experiences in wetland co-management: the Mach project; 2007.
 17. Ali Oakkas MA, Islam MF. Fishing community in wetland region of Bangladesh: views from the field experiences of Hakaluki haor. J Underrepresented Minor Prog. 2020;4(2): 287-301.
DOI: 10.32674/jump.v4i2.2681
 18. Yousuf Haroon AK, Kibria G. Wetlands: biodiversity and livelihood values and significance with special context to Bangladesh. Wetland Sci Perspect S Asian. 2017;317-46.
 19. Aziz MSB, Hasan NA, Mondol MMR, Alam MM, Haque MM. Decline in fish species diversity due to climatic and anthropogenic factors in Hakaluki Haor, an ecologically critical wetland in northeast Bangladesh. Heliyon. 2021;7(1):e05861.
DOI: 10.1016/j.heliyon.2020.e05861, PMID 33553714.
 20. Islam MS, Hoq ME. Vulnerability of aquaculture-based fish production systems to the impacts of climate change: insights from Inland Waters in Bangladesh. Bangladesh I: Climate change impacts, mitigation and adaptation in developing countries. 2018;67-97.
 21. Hasan M, Shafikul H A, Simul Bhuy M. Fish diversity assessment of the Haor Region in Kishoreganj District, Bangladesh. Res J Environ Sci. 2017; 11(1):29-35.
DOI: 10.3923/rjes.2017.29.35
 22. Nahar N, Sultana N, Miah J. Seasonal land cover changes and its effects on essential services of haor and non-haor areas of Kishoreganj district, Bangladesh. Asia Pac J Reg Sci. 2018;2(2):399-429.

- DOI: 10.1007/s41685-017-0067-8
23. Hossain MA. Fisherman, Banglapedia – the national encyclopedia of Bangladesh, retrieved at; 2021. [cited 12/1/2023]. Available:<https://en.banglapedia.org/index.php/Fisherman>.
24. Deb AK, Haque CE. Sufferings start from the mothers' womb. *Sustainability*. 2011; 3(12):2500-27. DOI: 10.3390/su3122500
25. Alam M. Slaves of water: indigenous knowledge of fisheries on the floodplain of Bangladesh; 2001 ([doctoral dissertation]. Durham University).
26. Rahman M, Sayeed MA, Rasul MG, Mondal MN, Majumdar BC, Shah AKMA. Impact of fishing gear on fish biodiversity of Hakaluki haor in Bangladesh. *Int J Fish Aquat Stud*. 2016;4(6):257-62.
27. Hossain MA, Sathi SS, Hossain MS, Akter MF, Ullah MO. Assessing the livelihood status of fishermen at Sunamganj District in Bangladesh. *BBIJ*. 2020;9(1):16-20. DOI: 10.15406/bbij.2020.09.00295. *Bio-stat. Int J*;9(1):16-20.
28. Islam MM. Poverty in small-scale fishing communities in Bangladesh: Contexts and responses; 2012 ([doctoral dissertation]. Universität Bremen).
29. Kazim H. The outcasts: Bangladesh's tiger widows fight exclusion. *Spiegel online*; 2011. [Cited Oct 2, 2011]. Available:<http://www.spiegel.de/international/world/0,1518,744594,00.html>
30. Rahaman MM, Sajib KI, Alam I. Impacts of climate change on the livelihoods of the people in Tanguar Haor, Bangladesh. *change*. 2016;7:8.
31. Islam MN, Atiqul Haq SM, Ahmed KJ, Best J. How do vulnerable people in Bangladesh experience environmental stress from sedimentation in the haor wetlands? An exploratory study. *Water Resour Res*. 2022;58(7):WR030241: e2021. DOI: 10.1029/2021WR030241
32. Kamruzzaman M, Shaw R. Flood and sustainable agriculture in the Haor basin of Bangladesh: a review paper. *Univers J Agric Res*. 2018;6(1):40-9. DOI: 10.13189/ujar.2018.060106
33. Mahtab MH, Ohara M, Rasmy M. The impact of rainfall variations on flash flooding in haor areas in Bangladesh. *Water Conserv Manag (WCM)*. 2018; 2(2):6-10. DOI: 10.26480/wcm.02.2018.06.10
34. Roya B, Islamc GT, Islamd AS, Bhattacharyae B, Jamal M, Khanf U. Trend analysis of pre-monsoon flash flood for the northeast Haor region of Bangladesh to assess the impact on Boro crop productivity; 2019.
35. Begum M, Sabur SA, Molla MMU, Barua S. Bangladesh. *J Agric. value chain analysis of captured fish: A case of Dekhar haor of Sunamganj district in Bangladesh*. 2019;41-43 : 49-69:2016-8.
36. Kibria G, Yousuf Haroon AK. Climate change impacts on wetlands of Bangladesh, its biodiversity and ecology, and actions and programs to reduce risks. *Wetland Sci Perspect S Asian*. 2017;189-204.
37. Hossain MS, Nayeem AA, Majumder AK. Impact of flash flood on agriculture land in Tanguar Haor Basin. *Int J Res Environ Sci*. 2017;3(4):42-5.
38. Kamal ASMM, Shamsudduha M, Ahmed B, Hassan SMK, Islam MS, Kelman I et al. Resilience to flash floods in wetland communities of northeastern Bangladesh. *Int J Disaster Risk Reduc*. 2018;31:478-88. DOI: 10.1016/j.ijdrr.2018.06.011
39. Abedin J, Khatun H. Impacts of flash flood on livelihood and adaptation strategies of the haor inhabitants: A study in Tanguar haor of sunamganj, Bangladesh. *Dhaka Univ J Earth Env Sci*. 2019;8(1): 41-51. DOI: 10.3329/dujees.v8i1.50757
40. Haque MA, Moniruzzaman SM, Hossain MF, Alam MA. Assessment of climate change risks and adaptation of improved farming practices in dekhar haor of sunamganj district. *Bangladesh J Agri*. 2022;47(1):39-65. DOI: 10.3329/bjagri.v47i1.60592
41. Dey NC, Parvez M, Islam MR. A study on the impact of the 2017 early monsoon flash flood: potential measures to safeguard livelihoods from extreme climate events in the haor area of Bangladesh. *Int J Disaster Risk Reduc*. 2021;59:102247. DOI: 10.1016/j.ijdrr.2021.102247
42. Nuruzzaman AKM. Poverty in Bangladesh: Where to focus and how? *The Daily Star*; 2019. Available:<https://www.thedailystar.net/opinion/news/poverty-bangladesh-where-focus-and-how-1815082>

43. Haroon AY, Kibria G. Wetlands: biodiversity and livelihood values and significance with special context to Bangladesh. *Wetland Sci.* 2017;317-46.
44. Islam SN. Threatened wetlands and ecologically sensitive ecosystems management in Bangladesh. *Front Earth Sci China.* 2010;4(4):438-48. DOI: 10.1007/s11707-010-0127-0
45. Islam N 2022. Impact of micro-credit on the livelihoods of clients—A study on Sunamganj District. arXiv preprint arXiv:2206.02798.
46. Sharmin Z, Islam MS. Consequences of climate change and gender vulnerability: Bangladesh perspective. Available at SSRN 2200116. *SSRN Journal*; 2013. DOI: 10.2139/ssrn.2200116
47. Rahman MR. Technological fixes for disaster management in Bangladesh. In: Khatun H, Baqee A, Kabir H, editors. *People at risk, disaster and despair. Disaster Research Training and Management Centre, University of Dhaka.* 2019;71-95.
48. Pandit D, Shefat SHT, Kunda M. Fish diversity decline threatens small-scale fisheries in the haor basin of Bangladesh. Small in scale, big in contributions: advancing knowledge of small-scale fisheries in Bangladesh. *TBTI Global Publication Series.* St. John's, NL, Canada; 2022.
49. Hasan M. Political economy of poverty in the haor region of Bangladesh. Available: <http://repository.library.du.ac.bd:8080/bitstream/handle/123456789/1470/Mehdi%20Hasan.pdf?sequence=1&isAllowed=y>; 2019 ([doctoral dissertation]. University of Dhaka).
50. Jahan R. Assessment of shafique haor and sonamoral haor schemes against flash flood in greater Sylhet area; 2019.
51. Kazal MMH, Rahman S, Hossain MZ. Poverty profiles and coping strategies of the haor (ox-bow lake) households in Bangladesh; 2017.
52. Rahman SKM. Challenges faced by entrepreneurial fishermen communities in Bangladesh: Realities from the ground. *Asia Pac J Rural Dev.* 2019; 29(2):183-209. DOI: 10.1177/1018529119898045
53. The World Conservation Union, IUCN. Bangladesh Overview, Official website of IUCN in Bangladesh; 2007/12/02. Available: <http://www.iucnbd.org/overview.html>.

© 2023 Tanha et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/97745>